

Contact Lens Part 1: Current materials and care regimes – implication for clinical practice

By Christine Purslow

References

1. Pritchard N, Fonn D, Brazeau D (1999) Discontinuation of contact lens wear: a survey. *Int Cont Lens Clin.* 26:157-162.
2. Doughty MJ, Fonn D, Richter D, et al. (1997) A patient questionnaire approach to estimating the prevalence of dry eye symptoms in patients presenting to optometric practices across Canada. *Optom Vis Sci.*8:624-31.
3. Richdale K, Sinnott LT, Skadahl E, Nichols JJ (2007) Frequency of and factors associated with contact lens dissatisfaction and discontinuation. *Cornea* 2: 168-74.
4. Efron N, Morgan PB (2009) Are hypoxia or modulus causes of contact lens-associated keratitis? *Clin Exp Optom* 92: 4: 329–330
5. Skotnitsky C, Sankaridurg PR, Sweeney DF, Holden BA (2002) General and Local Contact Lens Induced Papillary Conjunctivitis *Clin Exp Optom* 85(3): p. 193-7.
6. Dumbleton K (2003) Noninflammatory silicone hydrogel contact lens complications. *Eye & Cont Lens* 29(1 Suppl): p. S186-9; discussion S190-1.
7. Holden BA, Stephenson A, Stretton S, Sankaridurg PR, O’Hare N, Jalbert I et al., (2001) Superior Epithelial Arcuate Lesions with Soft Contact Lens Wear *Optom Vis Sci* 78(1): p. 9-12.
8. Stapleton F, Keay L, Edwards K, Naduvilath T, Dart JK, Brian G, Holden BA (2008) The incidence of contact lens-related microbial keratitis in Australia. *Ophthalmology* 115: 1655–1662.
9. Pence NA (2008) Plasma Treatment Facts: No Sugar Coating Contact Lens Spectrum May.

10. French K (2005) Contact lens material properties part 1: Wettability. *Optician* 6022:20-28.
11. Lemp MA, Caffery B, Lebow K, Lembach R, Park J, Foulks G, Hall B, Bowers R, McGarvey S, Young G (1999) Omafalcon A (proclear) soft contact lenses in a dry eye population. *CLAO J* 25:40–7.
12. Young G, Bowers R, Hall B, Port MJA (1997) Clinical comparison of omafalcon A with four control materials *CLAO J*; 23(4):249-258.
13. Hall B, Sulley A, Jones S (2000) Clinical performance of biomimetic soft lenses. *Optician* 5753 Vol 219.
14. Jones L, Jones D, Langley C, Houlford M (1997) The influence of solution regimes on the in vivo wettability of Group II and Group IV frequent replacement lenses *Contact Lens & Anterior Eye* 20; 171
15. Mahomed A, Nasso M, Tighe BJ (2005) Frictional and lubricity changes in contact lenses during wear *Ophthalmic Res* 37:(S1):27&161.
16. Veys J, Meyler J (2006) Do new daily disposable lenses improve patient comfort? *Optician* 231;6046: 34 - 36.
17. Van Beek M, Weeks A, Jones L, Sheardown H (2208) Immobilized hyaluronic acid containing model silicone hydrogels reduce protein adsorption. *J Biomater Sci Polym Ed* 19;11: 1425-36.
18. Winterton LC, Lally JM, Sentell KB, Chapoy LL (2007) The elution of poly (vinyl alcohol) from a contact lens: the realization of a time release moisturizing agent/artificial tear. *J Biomed Mater Res B Appl Biomater* 80;2: 424-32.
19. Peterson RC, Wolffsohn JS, Nick J, Winterton L, Lally J (2006) Clinical performance of daily disposable soft contact lenses using sustained release technology *Cont Lens Anterior Eye* 29;3: 127-34.
20. Mahomed A, Tighe B (2004) Contact lenses and comfort enhancers: in vivo and in vitro release of soluble PVA. *Ophthalmic Res* 36:34.
21. Morgan PB, Efron N (2008) Demographics of UK contact lens prescribing *Cont Lens Anterior Eye* Feb;31(1):50-1.
22. Jones L, Mann A, Evans K, Franklin V, Tighe B (2000) An in vivo comparison of the kinetics of protein and lipid deposition on group II and

group IV frequent-replacement contact lenses *Optom Vis Sci* 77:10: 503-510.

23. Jones L (2009) Silicone Hydrogel Deposition Contact Lens Spectrum November 2009.

24. Boone A, Heynen M, Joyce E, Varikooty J, Jones L (2009) Ex Vivo Protein Deposition on Bi-Weekly Silicone Hydrogel Contact Lenses *Optom Vis Sci* Sep 17 (Epub ahead of print).

25. Luensmann D, Glasier MA, Zhang F, Bantsev V, Simpson T, Jones L (2007) 3. Confocal microscopy and albumin penetration into contact lenses *Optom Vis Sci* Sep;84(9):839-47.

26. Cheung SW, Cho P, Chan B, Choy C, Ng V (2007) A comparative study of biweekly disposable contact lenses: silicone hydrogel versus hydrogel *Clin Exp Optom* Mar;90(2):124-31.

27. Jones L, Woods CA, Efron N (1996) Life expectancy of rigid gas permeable and high water content contact lenses *CLAO J* 22;4: 258-61.

28. Riley C, Chalmers RL, Pence N (2005) The impact of lens choice in the relief of contact lens related symptoms and ocular surface findings *Cont Lens & Ant Eye* 28;13-19.

29. Gonazlez-Meijome J. M., Lopez-Alemay A., Almeida J. B., Parafita M. A., Refojo M.F. (2007) Qualitative and quantitative characterization of the in vitro dehydration process of hydrogel contact lenses. *Journal of Biomedical Materials Research Part B Applied Biomaterials* 83(2):512-26.

30. Morgan P. B. and Efron N. (2003) In vivo dehydration of silicone hydrogel contact lenses. *Eye and Contact Lens* 29(3):173-6.

31. Dumbleton K., Woods C. A., Jones L. W. and Fonn D. (2008a) Comfort and adaptation to silicone hydrogels for daily wear. *Eye and Contact Lens*. 34(4): 215-23.

32. Dillehay SM and Miller MB (2007) Performance of lotrafilcon B silicone hydrogel contact lenses in experienced low-Dk/t daily lens wearers. *Eye and Contact Lens* 33(6 Pt 1): 272-7.

33. Riley C, Young G, Chalmers R (2006) Prevalence of ocular surface symptoms, signs, and uncomfortable hours of wear in contact lens wearers: the effect of refitting with daily-wear silicone hydrogel lenses (senofilcon a). *Eye and Contact Lens* 32(6): 281-6.
34. Young G., Riley C., Chalmers R., and Hunt C. (2007) Hydrogel lens comfort in challenging environments and the effect of refitting with silicone hydrogel lenses. *Optometry and Vision Science* 84:302-208.
35. Kapoor Y, Thomas JC, Tan G, John VT, Chauhan A (2009) Surfactant-laden soft contact lenses for extended delivery of ophthalmic drugs *Biomaterials* 30; 867-878.
36. Kapoor Y, Chauhan A (2008) Ophthalmic delivery of Cyclosporine A from Brij-97 microemulsion and surfactant-laden p-HEMA hydrogels *Int J Pharm.* Sep 1;361(1-2):222-9.
37. Xinming L, Yingde C, Lloyd AW, Mikhalovsky SV, Sandeman SR, Howel CA, Liewen L (2008) Polymeric hydrogels for novel contact lens-based ophthalmic drug delivery systems: a review *Cont Lens Anterior Eye.* 2008 Apr;31(2):57-64.
38. Hui A, Boone A, Jones L (2008) Uptake and release of ciprofloxacin-HCl from conventional and silicone hydrogel contact lens materials. *Eye Contact Lens* 34;5: 266-71
39. Ciolino JB, Hoare TR, Dolhman CH, Behlau I, Iwata NG, Langer R, Kohane DS (2009) A Drug Eluting Contact Lens Invest. *Ophthalmol. Vis. Sci.* 50: E-Abstract 5638.
40. Jones L, MacDougall N, Sorbara LG: Asymptomatic corneal staining associated with the use of balafilcon silicone-hydrogel contact lenses disinfected with a polyaminopropyl biguanide-preserved care regimen. *Optom Vis Sci* 2002 79;12: 753 - 761.
41. Garofalo RJ, et al.: Corneal staining and subjective symptoms with multipurpose solutions as a function of time. *Eye Contact Lens* 2005 31;4: 166 - 174.
42. Andrasko G, Ryen K (2008) Corneal staining and comfort observed with traditional and silicone hydrogel lenses and multipurpose solution combinations *Optometry* Aug;79(8):444-54.

43. Dillehay S, Long B, Cutter G (2007) A statistical analysis of the staining grid Contact lens Spectrum November 2007.
44. Carnt N, Jalbert I, Stretton S, Naduvilath T, Papas E (2007a) Solution toxicity in soft contact lens daily wear is associated with corneal inflammation. *Optometry & Vision Science*. 84:309-15.
45. Efron N, Morgan PB (2008) Soft contact lens care regimens in the UK *Cont Lens Ant Eye* 31; 283-4.
46. Joslin CE, Tu EY, Shoff ME, Booton GC, Fuerst P, McMahon TT, Anderson RJ, Dworkin MS, Sugar J, Davis FG, Stayner LT (2007) The Association of Contact Lens Solution Use and Acanthamoeba Keratitis. *Am J Ophthalmol*. 144: 169 –180.
47. Beattie TK, Tomlinson A (2009) The Effect of Surface Treatment of Silicone Hydrogel Contact Lenses on the Attachment of Acanthamoeba castellanii Trophozoites Eye. *Contact Lens* 35(6):316-319
48. Morgan P, Brennan N (2004) The decay of Dk? *Optician* Feb 6, p.27-33.
49. Holden BA, Mertz GW (1984) Critical oxygen values to avoid corneal edema for daily and extended wear contact lenses. *Invest Ophthalmol Vis Sci* 25:1161-7.
50. Harvitt DM, Bonanno JA (1999) Re-evaluation of the oxygen diffusion model for predicting minimum Dk/t values needed to avoid corneal anoxia. *Optom Vis Sci* 76:712-9.
51. Brennan NA (2005) Corneal oxygenation during contact lens wear: comparison of diffusion and EOP-based flux models. *Clin Exp Optom* 88:103-8.
52. Stapleton F, Keay L, Edwards K, Naduvilath T, Dart JK, Brian G, Holden BA (2008) The incidence of contact lens-related microbial keratitis in Australia. *Ophthalmology* 115: 1655–1662.
53. Dart JK, Radford CF, Minassian D, Verma S, Stapleton F (2008) Risk factors for microbial keratitis with contemporary contact lenses:a case-control study. *Ophthalmology* 115: 1647–1654.

54. Morgan PB, Efron N, Hill EA, Raynor MK, Whiting MA, Tullo AB (2005) Incidence of keratitis of varying severity among contact lens wearers. *Br J Ophthalmol* 89: 430–436.
55. Efron N, Morgan PB, Hill EA, Raynor MK, Tullo AB (2005) Incidence and morbidity of hospital-presenting corneal infiltrative events associated with contact lens wear *Clin Exp Optom* 88: 232–239.
56. Efron N, Morgan PB, Hill EA, Raynor MK, Tullo AB (2005) The size, location and clinical severity of corneal infiltrative events associated with contact lens wear. *Optom Vis Sci* 82: 519–527.
57. Szczotka-Flynn L, Diaz M (2007) Risk of corneal inflammatory events with silicone hydrogel and low dk hydrogel extended contact lens wear: a meta-analysis *Optom Vis Sci*. 84(4):247-256.