

Clinical Decision Making V: Intraocular Pressure and Tonometry

References

1. Resnikoff S, Pascolini D, Etya'ale D, et al. Global data on visual impairment in the year 2002. *Bulletin of the World Health Organization*. 2004;82:844-851.
2. Quigley HA, Broman AT. The number of people with glaucoma worldwide in 2010 and 2020. *Br J Ophthalmol*. 2006;90:262-267.
3. Rudnicka AR, Mt-Isa S, Owen CG, Cook DG, Ashby D. Variations in primary open-angle glaucoma prevalence by age, gender, and race: A Bayesian meta-analysis. *Invest Ophthalmol Vis Sc*. 2006;47:4254-4261.
4. Coffey M, Reidy A, Wormald R, et al. Prevalence of glaucoma in the west of Ireland. *Br J Ophthalmol*. 1993;77:17-21.
5. Weih LM, Nanjan M, McCarty CA, Taylor HR. Prevalence and predictors of open-angle glaucoma: Results from the visual impairment project. *Ophthalmology*. 2001;108:1966-1972.
6. Quigley HA, Addicks EM. Chronic experimental glaucoma in primates. II. Effect of extended intraocular pressure elevation on optic nerve head and axonal transport. *Invest Ophthalmol Vis Sc*. 1980;19:137-152.
7. Chauhan BC, Pan J, Archibald ML, et al. Effect of intraocular pressure on optic disc topography, electroretinography, and axonal loss in a chronic pressure-induced rat model of optic nerve damage. *Invest Ophthalmol Vis Sc*. 2002;43:2969-2976.
8. Goldmann H, Schmidt T. Applanation tonometry [English translation]. Reprint from Über applanationstonometrie. *Ophthalmologica* 1957;134:221-242. In: Ritch, R, Caronia, RM, eds. *Classic Papers in Glaucoma*. The Hague, Netherlands: Kugler Publications; 2000:155-162.
9. Foster PJ, Baasanhu J, Alsbirk PH, et al. Central corneal thickness and intraocular pressure in a Mongolian population. *Ophthalmology*. 1998;106:969-973.
10. Foster PJ, Wong J-S, Wong E, et al. Accuracy of clinical estimates of intraocular pressure in Chinese eyes. *Ophthalmology*. 2000;107:1816-1821.
11. Shiose Y. Intraocular pressure: New perspectives. *Surv Ophthalmol*. 1990;34:413-435.
12. Whitacre MM, Stein RA. Sources of error with use of Goldmann-type tonometers. *Surv Ophthalmol*. 1993;38:1-30.
13. Gordon MO, Beiser JA, Brandt JD, et al. The Ocular Hypertension Treatment Study: Baseline factors that predict the onset of primary open-angle glaucoma. *Arch Ophthalmol*. 2002;120:714-720.
14. Heijl A, Leske MC, Bengtsson B, et al. Reduction of intraocular pressure and glaucoma progression: Results from the Early Manifest Glaucoma Trial. *Arch Ophthalmol*. 2002;120:1268-1279.
15. Higginbotham EJ. Treating ocular hypertension to reduce glaucoma risk: When to treat? *Drugs*. 2006;66:1033-1039.
16. Kass MA, Heuer DK, Higginbotham EJ, et al. The Ocular Hypertension Treatment Study: A randomized trial determines that topical ocular hypotensive medication delays or prevents the onset of primary open-angle glaucoma. *Arch Ophthalmol*. 2002;140:701-713.
17. Anderson DR. Collaborative Normal Tension Glaucoma Study. *Curr Opin Ophthalmol*. 2003;14:86-90.
18. Sommer A. Intraocular pressure and glaucoma. *Am J Ophthalmol*. 1989;107:186-189.
19. Kass MA. When to treat ocular hypertension. *Surv Ophthalmol*. 1983;28:229-234.
20. Asrani S, Zeimer R, Wilensky J, et al. Large diurnal fluctuations in intraocular pressure are an independent risk factor in patients with glaucoma. *J Glaucoma*. 2000;9:134-142.
21. Grolman B. A new tonometer system. *Am J Optom Arch Am Acad Optom*. 1972;646-660.
22. Tonnu P-A, Ho T, Newson T, et al. The influence of central corneal thickness and age on intraocular pressure measured by pneumotonometry, non-contact tonometry, the Tono-Pen XL, and Goldmann applanation tonometry. *Br J Ophthalmol*. 2005;89:851-854.
23. Shields MB. The non-contact tonometer. Its value and limitations. *Surv Ophthalmol*. 1980;24:211-219.
24. Kumar N, Jivan S. Goldmann applanation tonometer calibration error checks: current practice in the UK. *Eye*. 2006;21:733-734.

25. Sandhu S, Chattopadhyay S, Birch M, Ray-Chaudhuri N. Frequency of Goldmann applanation tonometer calibration error checks. *J Glaucoma*. 2005;14:215-218.
26. Doughty MJ, Zaman ML. Human corneal thickness and its impact on intraocular pressure measures: A review and meta-analysis approach. *Surv Ophthalmol*. 2000;44:367-408.
27. Ehlers N, Bramsen T, Sperling S. Applanation tonometry and central corneal thickness. *Acta Ophthalmol Scand*. 1975;53:34-43.
28. Copt R-P, Thomas R, Mermoud A. Corneal thickness in ocular hypertension, primary open-angle glaucoma, and normal tension glaucoma. *Arch Ophthalmol*. 1999;117:14-16.
29. Shih CY, Zivin JSG, Trokel SL, Tsai JC. Clinical significance of central corneal thickness in the management of glaucoma. *Arch Ophthalmol*. 2004;122:1270-1275.
30. Herndon LW, Weizer JS, Stinnett SS. Central corneal thickness as a risk factor for advanced glaucomatous damage. *Arch Ophthalmol*. 2004;122:17-21.
31. Henderson PA, Medeiros FA, Zangwill LM, Weinreb RN. Relationship between central corneal thickness and retinal nerve fiber layer thickness in ocular hypertensive patients. *Ophthalmology*. 2005;112:251-256.
32. Brandt JD. Central corneal thickness, tonometry and glaucoma - a guide for the perplexed. *Can J Ophthalmol*. 2007;42:562-566.
33. Herndon LW, Choudri SA, Cox T, et al. Central corneal thickness in normal, glaucomatous, and ocular hypertensive eyes. *Arch Ophthalmol*. 1997;115:1137-1141.
34. Brandt JD, Beiser JA, Gordon MO, Kass MA, Ocular Hypertension Treatment Study Group. Central corneal thickness and measured IOP response to topical ocular hypertensive medication in the Ocular Hypertension Treatment Study. *Am J Ophthalmol*. 2004;138:717-722.
35. Hamilton KE, Pye DC. Young's modulus in normal corneas and the effect on applanation tonometry. *Optom Vis Sci*. 2008;85:445-450.
36. Mertz GW. Overnight swelling of the living human cornea. *J Am Optom Assoc*. 1980;51:211-214.
37. Hamilton KE, Pye DC, Aggarwala S, et al. Diurnal variation of central corneal thickness and Goldmann applanation tonometry estimates of intraocular pressure. *J Glaucoma*. 2007;16:29-35.
38. Hamilton KE, Pye DC, Hali A, et al. The effect of contact lens induced corneal edema on Goldmann applanation tonometry measurements. *J Glaucoma*. 2007;16:153-158.
39. Hamilton KE, Pye DC, Chung J, et al. The effect of contact-lens induced oedema on the accuracy of Goldmann tonometry in a mature population. *Br J Ophthalmol*. 2007;91:1636-1638.
40. McMillan F, Forster RK. Comparison of MacKay Marg, Goldmann and Perkins tonometers in abnormal corneas. *Arch Ophthalmol*. 1975;93:420-424.
41. Mark HH. Corneal curvature in applanation tonometry. *Am J Ophthalmol*. 1973;223-224.
42. Orssengo GJ, Pye DC. Determination of the true intraocular pressure and modulus of elasticity of the human cornea *in vivo*. *Bull Math Biol*. 1999;61:551-572.
43. Liu J, Roberts CJ. Influence of corneal biomechanical properties on intraocular pressure measurement. *J Cataract Refract Surg*. 2005;31:146-155.
44. Tomlinson A. A clinical study of the central and peripheral thickness and curvature of the human cornea. *Acta Ophthalmol*. 1972;50:73-82.
45. Hamilton KE. Mid-peripheral corneal thickness affects non-contact tonometry. *J Glaucoma*. 2008.
46. Shah S, Laiquzzaman M, Mantry S, Cunliffe I. Ocular response analyser to assess hysteresis and corneal resistance factor in low tension, open angle glaucoma and ocular hypertension. *Clin Exp Ophthalmol*. 2008;36:508-513.
47. Pepose JS, Feigenbaum SK, Qazi MA, Sanderson JP, Roberts CJ. Changes in corneal biomechanics and intraocular pressure following LASIK using static, dynamic, and noncontact tonometry. *Am J Ophthalmol*. 2007;143:39-47.
48. Kniestedt C, Nee M, Stamper RL. Accuracy of dynamic contour tonometry compared with applanation tonometry in human cadaver eyes of different hydration states. *Graefes Arch Clin Exp Ophthalmol*. 2005;243:359-366.
49. Hamilton KE, Pye DC, Kao L, Pham N, Nguyen Tran A-Q. The effect of corneal edema on dynamic contour and Goldmann tonometry. *Optom Vis Sci*. 2008;85:451-456.
50. Boehm AG, Weber A, Pillunat LE, Koch R, Spoerl E. Dynamic contour tonometry in

comparison to intracameral IOP measurements. *Invest. Ophthalmol. Vis. Sci.* 2008;49:2472-2477.