

A DECADE WITH SILICONE HYDROGELS: PART 2

Karen French & Lyndon Jones

References

1. Jones L, Subbaraman LN, *et al.*: Surface treatment, wetting and modulus of silicone hydrogels. *Optician* 2006; 232;6067: 28 - 34.
2. Jones L, Dumbleton K: *Soft lens extended wear and complications*. in *Manual of Contact Lens Prescribing and Fitting*, 2nd. M.M. Hom and A. Bruce, Editors. Oxford, Butterworth-Heinemann, 2006, p 393 - 441.
3. Tighe B: *Silicone hydrogels: Structure, properties and behaviour*. in *Silicone Hydrogels: Continuous Wear Contact Lenses*, 2nd. D. Sweeney, Editor. Oxford, Butterworth-Heinemann, 2004, p 1 - 27.
4. Tighe B: *Contact Lens Materials*. in *Contact Lenses*, 5th. A. Phillips and L. Speedwell, Editors. Edinburgh, Butterworth-Heinemann, 2006, p 59 - 78.
5. Jones L, Dumbleton K: Silicone hydrogels part 1: Technological developments. *Optometry Today* 2005; Nov 18th 23 - 29.
6. Jones L, Dumbleton K: Silicone hydrogel lenses: Fitting procedures and in-practice protocols for continuous wear lenses. *Optician* 2002; 223;5840: 37 - 45.
7. Dumbleton KA, Chalmers RL, *et al.*: Effect of lens base curve on subjective comfort and assessment of fit with silicone hydrogel continuous wear contact lenses. *Optom Vis Sci* 2002; 79;10: 633 - 637.
8. Dumbleton KA, Jones L: Silicone hydrogel lenses: Material properties and patient selection. *Optician* 2002; 223;5836: 16 - 22.
9. Dumbleton KA, Jones L: Silicone hydrogel lenses: Follow-up and management. *Optician* 2002; 223;5845: 34 - 43.
10. Jones L, Dumbleton K: *Soft contact lens fitting*. in *Contact Lenses*, 5th. A. Phillips and L. Speedwell, Editors. Edinburgh, Butterworth-Heinemann, 2006, p 223 - 240.
11. Sweeney D, du Toit R, *et al.*: *Clinical performance of silicone hydrogel lenses*. in *Silicone hydrogels: Continuous wear contact lenses*, 2nd. D. Sweeney, Editor. Oxford, Butterworth-Heinemann, 2004, p 164 - 216.
12. Dumbleton K: Adverse events with silicone hydrogel continuous wear. *Cont Lens Anterior Eye* 2002; 25;3: 137-146.
13. Dumbleton K: Noninflammatory silicone hydrogel contact lens complications. *Eye Contact Lens* 2003; 29;1 Suppl: S186-189; discussion S190-181, S192-184.
14. Stapleton F, Stretton S, *et al.*: Silicone hydrogel contact lenses and the ocular surface. *Ocul Surf* 2006; 4;1: 24-43.
15. Holden BA, Stephenson A, *et al.*: Superior epithelial arcuate lesions with soft contact lens wear. *Optom Vis Sci* 2001; 78;1: 9-12.
16. Jalbert I, Sweeney DF, *et al.*: Epithelial split associated with wear of a silicone hydrogel contact lens. *CLAO J* 2001; 27;4: 231-233.

17. Skotnitsky C, Sankaridurg PR, *et al.*: General and local contact lens induced papillary conjunctivitis (CLPC). *Clin Exp Optom* 2002; 85;3: 193-197.
18. Maldonado-Codina C, Morgan PB, *et al.*: Comparative clinical performance of rigid versus soft hyper Dk contact lenses used for continuous wear. *Optom Vis Sci* 2005; 82;6: 536-548.
19. Skotnitsky CC, Naduvilath TJ, *et al.*: Two presentations of contact lens-induced papillary conjunctivitis (CLPC) in hydrogel lens wear: local and general. *Optom Vis Sci* 2006; 83;1: 27-36.
20. Dumbleton K, Jones L, *et al.*: Clinical characterization of spherical post-lens debris associated with lotrafilcon high-Dk silicone lenses. *CLAO J* 2000; 26;4: 186-192.
21. Pritchard N, Jones L, *et al.*: Epithelial inclusions in association with mucin ball development in high-oxygen permeability hydrogel lenses. *Optom Vis Sci* 2000; 77;2: 68-72.
22. Craig JP, Sherwin T, *et al.*: An evaluation of mucin balls associated with high-DK silicone-hydrogel contact lens wear. *Adv Exp Med Biol* 2002; 506;Pt B: 917-923.
23. Millar TJ, Papas EB, *et al.*: Clinical appearance and microscopic analysis of mucin balls associated with contact lens wear. *Cornea* 2003; 22;8: 740-745.
24. Young G, Mirejovsky D: A hypothesis for the aetiology of soft contact lens-induced superior arcuate keratopathy. *Int Contact Lens Clin* 1993; 20;9/10: 177 - 179.
25. Hine N, Back A, *et al.*: Aetiology of arcuate epithelial lesions induced by hydrogels. *J Brit Contact Lens Assoc* 1987;Trans Ann Clin Conf: 48-50.
26. Malinovsky V, Pole J, *et al.*: Epithelial splits of the superior cornea in hydrogel contact lens patients. *Int Contact Lens Clin* 1989; 16;9&10: 252-254.
27. O'Hare N, Naduvilath T, *et al.*: Superior epithelial arcuate lesions (SEALs): A case control study. *Invest Ophthalmol Vis Sci* 2000; 41;4: s386.
28. Jones L, Jones D: Superior epithelial arcuate lesions. *Optician* 1995; 209;5500: 32-33.
29. O'Hare N, Stapleton F, *et al.*: Interaction between the contact lens and the ocular surface in the etiology of superior epithelial arcuate lesions. *Adv Exp Med Biol* 2002; 506;Pt B: 973-980.
30. Holden B, Sankaridurg P, *et al.*: *Adverse events and infections: Which ones and how many ?* in *Silicone Hydrogels: The Rebirth of Continuous Wear Contact Lenses*, D. Sweeney, Editor. Oxford, Butterworth-Heinemann, 2000, p 150 - 213.
31. O'Hare N, Naduvilath T, *et al.*: A clinical comparison of limbal and paralimbal superior epithelial arcuate lesions (SEALs) in high Dk EW. *Invest Ophthalmol Vis Sci* 2001; 42;4: s595.
32. Allansmith MR, Korb DR, *et al.*: Giant papillary conjunctivitis in contact lens wearers. *Am J Ophthalmol* 1977; 83;5: 697-708.
33. Sugar A, Meyer RF: Giant papillary conjunctivitis after keratoplasty. *Am J Ophthalmol* 1981; 91;2: 239-242.

34. Barishak Y, Zavaro A, *et al.*: An immunological study of papillary conjunctivitis due to contact lenses. *Curr Eye Res* 1984; 3;10: 1161-1168.
35. Dart J: Contact lens associated giant papillary conjunctivitis. *Contax* 1986;November: 6-22.
36. Allansmith MR, Ross RN: Giant papillary conjunctivitis. *Int Ophthalmol Clin* 1988; 28;4: 309-316.
37. Donshik PC: Contact lens chemistry and giant papillary conjunctivitis. *Eye Contact Lens* 2003; 29;1 Suppl: S37-39; discussion S57-39, S192-194.
38. Donshik P, Long B, *et al.*: Inflammatory and mechanical complications associated with 3 years of up to 30 nights of continuous wear of lotrafilcon A silicone hydrogel lenses. *Eye Contact Lens* 2007; 33;4: 191-195.
39. McNally J, McKenney CD: A clinical look at a silicone hydrogel extended wear lens. *Contact Lens Spectrum* 2002; 17;1: 38 - 41.
40. Stern J, Skotnitsky C, *et al.*: Comparison of the incidence of contact lens papillary conjunctivitis (CLPC) between six and thirty night high Dk soft extended wear schedules. *Invest Ophthalmol Vis Sci* 2001; 42;4: s597.
41. Tan J, Keay L, *et al.*: Tear microspheres (TMSS) with high Dk lenses. *Optom Vis Sci* 1999; 76;12s: 226.
42. Tan J, Keay L, *et al.*: Mucin balls with wear of conventional and silicone hydrogel contact lenses. *Optom Vis Sci* 2003; 80;4: 291-297.
43. Ladage PM, Petroll WM, *et al.*: Spherical indentations of human and rabbit corneal epithelium following extended contact lens wear. *CLAO J* 2002; 28;4: 177-180.
44. Lofstrom T, Kruse A: A conjunctival response to silicone hydrogel lens wear. *Contact Lens Spectrum* 2005; 20;9: 42 - 44.
45. Santodomingo-Rubido J, Wolffsohn J, *et al.*: Conjunctival epithelial flaps with 18 months of silicone hydrogel contact lens wear. *Eye Contact Lens* 2008; 34;1: 35-38.
46. Jones L, Senchyna M, *et al.*: Lysozyme and lipid deposition on silicone hydrogel contact lens materials. *Eye Contact Lens* 2003; 29;1 Suppl: S75-S79.
47. Senchyna M, Jones L, *et al.*: Quantitative and conformational characterization of lysozyme deposited on balafilcon and etafilcon contact lens materials. *Curr Eye Res* 2004; 28;1: 25-36.
48. Ghormley N, Jones L: Managing lipid deposition on silicone hydrogel lenses. *Contact Lens Spectrum* 2006; 21;1: 21.
49. Subbaraman LN, Bayer S, *et al.*: Rewetting drops containing surface active agents improve the clinical performance of silicone hydrogel contact lenses. *Optom Vis Sci* 2006; 83;3: 143 -151.
50. Subbaraman LN, Glasier MA, *et al.*: Kinetics of in vitro lysozyme deposition on silicone hydrogel, PMMA, and FDA groups I, II, and IV contact lens materials. *Curr Eye Res* 2006; 31;10: 787-796.

51. Subbaraman LN, Jones L: Activity of lysozyme deposited on conventional and silicone hydrogel contact lenses as a function of time. *Invest Ophthalmol Vis Sci* 2007; ARVO abstracts;E-abstract 5393.
52. Suwala M, Glasier MA, *et al.*: Quantity and conformation of lysozyme deposited on conventional and silicone hydrogel contact lens materials using an in vitro model. *Eye Contact Lens* 2007; 33;3: 138-143.
53. Chow L, Subbaraman LN, *et al.*: Kinetics of in vitro lactoferrin deposition on silicone hydrogel and FDA group II and group IV hydrogel contact lens materials. *J Biomat Sci Polym Ed* 2008; In press.
54. Glasier MA, Keech A, *et al.*: Conformational and quantitative characterization of lysozyme extracted from galyfilcon and senofilcon silicone hydrogel contact lenses. *Curr Eye Res* 2008; 33;1: 1-11.
55. Carney FP, Nash WL, *et al.*: The adsorption of major tear film lipids in vitro to various silicone hydrogels over time. *Invest Ophthalmol Vis Sci* 2008; 49;1: 120-124.
56. Fowler SA, Allansmith MR: Evolution of soft contact lens coatings. *Arch Ophthalmol* 1980; 98;1: 95-99.
57. Allansmith MR: Immunologic effects of extended-wear contact lenses. *Ann Ophthalmol* 1989; 21;12: 465-467, 474.
58. Allansmith MR: Giant papillary conjunctivitis. *J Am Optom Assoc* 1990; 61;6 Suppl: S42-46.
59. Nichols JJ: Deposition rates and lens care influence on galyfilcon A silicone hydrogel lenses. *Optom Vis Sci* 2006; 83;10: 751-757.
60. Jones L, Evans K, *et al.*: Lipid and protein deposition of N-vinyl pyrrolidone-containing group II and group IV frequent replacement contact lenses. *CLAO J* 1997; 23;2: 122-126.
61. Jones L, Mann A, *et al.*: An in vivo comparison of the kinetics of protein and lipid deposition on group II and group IV frequent-replacement contact lenses. *Optom Vis Sci* 2000; 77;10: 503-510.
62. Sindt CW, Longmuir RA: Contact lens strategies for the patient with dry eye. *Ocul Surf* 2007; 5;4: 294-307.
63. Garofalo RJ, Dassanayake N, *et al.*: Corneal staining and subjective symptoms with multipurpose solutions as a function of time. *Eye Contact Lens* 2005; 31;4: 166 - 174.
64. Jones L, MacDougall N, *et al.*: Asymptomatic corneal staining associated with the use of balafilcon silicone-hydrogel contact lenses disinfected with a polyaminopropyl biguanide-preserved care regimen. *Optom Vis Sci* 2002; 79;12: 753-761.
65. Papas EB, Carnt N, *et al.*: Complications associated with care product use during silicone daily wear of hydrogel contact lens. *Eye Contact Lens* 2007; 33;6 Pt 2: 392-393; discussion 399-400.

66. Epstein A: SPK with daily wear of silicone hydrogel lenses and MPS. *Contact Lens Spectrum* 2002; 17;11: 30.
67. Fonn D: Observations of corneal staining with MPS and silicone hydrogel lenses. *Contact Lens Spectrum* 2002; 17;11: 32.
68. Levy B: Contact lens and solution manufacturer responds with data. *Contact Lens Spectrum* 2002; 17;11: 34.
69. Amos C: Performance of a new multipurpose solution used with silicone hydrogels. *Optician* 2004; 227;5945: 18-22.
70. Amos C: A clinical comparison of two soft lens care systems used with silicone hydrogel contact lenses. *Optician* 2004; 227;5933: 16 - 20.
71. Dumbleton K, Keir N, *et al.*: Objective and subjective responses in patients refitted to daily-wear silicone hydrogel contact lenses. *Optom Vis Sci* 2006; 83;10: 758-768.
72. Andrasko G, Ryen K: A series of evaluations of MPS and silicone hydrogel lens combinations. *Rev Cornea and Contact Lenses* 2007;March: 36 - 42.
73. Carnt N, Jalbert I, *et al.*: Solution toxicity in soft contact lens daily wear is associated with corneal inflammation. *Optom Vis Sci* 2007; 84;4: 309-315.
74. Santodomingo-Rubido J: The comparative clinical performance of a new polyhexamethylene biguanide- vs a polyquad-based contact lens care regime with two silicone hydrogel contact lenses. *Ophthalmic Physiol Opt* 2007; 27;2: 168-173.
75. Zigler L, Cedrone R, *et al.*: Clinical evaluation of silicone hydrogel lens wear with a new multipurpose disinfection care product. *Eye Contact Lens* 2007; 33;5: 236-243.
76. Levy B, Orsborn G: Clinical risks: Myths and truths. *Contact Lens Spectrum* 2008; 23;1: 42 - 46.
77. Paugh JR, Marsden HJ, *et al.*: A pre-application drop containing carboxymethylcellulose can reduce multipurpose solution-induced corneal staining. *Optom Vis Sci* 2007; 84;1: 65-71.
78. Jones L: Understanding incompatibilities. *Contact Lens Spectrum* 2004; 19;7 (suppl): 4 - 7.
79. Andrasko G, Ryen K: Corneal staining and comfort observed with traditional and silicone hydrogel lenses and multipurpose solution combinations. *Optometry* 2008; 79;8: 444-454.
80. Carnt N, Willcox M, *et al.*: Corneal staining: The IER matrix study. *Contact Lens Spectrum* 2007; 22;9: 38 - 43.
81. Carnt N, Evans V, *et al.*: IER matrix update: adding another silicone hydrogel. *Contact Lens Spectrum* 2008; 23;3: 28 - 35.
82. Ward KW: Superficial punctate fluorescein staining of the ocular surface. *Optom Vis Sci* 2008; 85;1: 8-16.
83. Sweeney DF, Naduvilath TJ: Are inflammatory events a marker for an increased risk of microbial keratitis? *Eye Contact Lens* 2007; 33;6 Pt 2: 383-387; discussion 399-400.

84. Hall J, Paugh J, *et al.*: A pilot study of the effect of silicone-hydrogel lenses and marketed multipurpose solutions on human epithelial barrier function. *Invest Ophthalmol Vis Sci* 2007; 47;ARVO abstracts: E-abstract 5400.
85. Cox I, Fonn D: Interference filters to eliminate the surface reflex and improve contrast during fluorescein photography. *Int Contact Lens Clin* 1991; 18;9/10: 178-181.
86. Szczotka-Flynn L, Diaz M: Risk of corneal inflammatory events with silicone hydrogel and low dk hydrogel extended contact lens wear: a meta-analysis. *Optom Vis Sci* 2007; 84;4: 247-256.
87. Szczotka-Flynn L: It's all in the modality. BCLA Conference 1st June 2008
88. Chalmers RL, McNally JJ, *et al.*: Risk factors for corneal infiltrates with continuous wear of contact lenses. *Optom Vis Sci* 2007; 84;7: 573-579.
89. Stern J, Wong R, *et al.*: Comparison of the performance of 6- or 30-night extended wear schedules with silicone hydrogel lenses over 3 years. *Optom Vis Sci* 2004; 81;6: 398-406.
90. Poggio EC, Glynn RJ, *et al.*: The incidence of ulcerative keratitis among users of daily-wear and extended-wear soft contact lenses. *N Engl J Med* 1989; 321;12: 779-783.
91. Schein OD, Glynn RJ, *et al.*: The relative risk of ulcerative keratitis among users of daily-wear and extended-wear soft contact lenses. A case-control study. Microbial Keratitis Study Group. *N Engl J Med* 1989; 321;12: 773-778.
92. Cheng KH, Leung SL, *et al.*: Incidence of contact-lens-associated microbial keratitis and its related morbidity. *Lancet* 1999; 354;9174: 181-185.
93. Keay L, Stapleton F, *et al.*: Epidemiology of contact lens-related inflammation and microbial keratitis: a 20-year perspective. *Eye Contact Lens* 2007; 33;6 Pt 2: 346-353, discussion 362-343.
94. Holden BA, Sweeney DF, *et al.*: Microbial keratitis and vision loss with contact lenses. *Eye Contact Lens* 2003; 29;1 Suppl: S131-134; discussion S143-134, S192-134.
95. Schein OD, McNally JJ, *et al.*: The incidence of microbial keratitis among wearers of a 30-day silicone hydrogel extended-wear contact lens. *Ophthalmology* 2005; 112;12: 2172-2179.
96. Keay L, Edwards K, *et al.*: An early assessment of silicone hydrogel safety: pearls and pitfalls, and current status. *Eye Contact Lens* 2007; 33;6 Pt 2: 358-361.
97. Stapleton F, Keay L, *et al.*: The epidemiology of contact lens related infiltrates. *Optom Vis Sci* 2007; 84;4: 257-272.
98. Stapleton F, Keay L, *et al.*: The Incidence of Contact Lens-Related Microbial Keratitis in Australia. *Ophthalmology* 2008.
99. Keay L, Edwards K, *et al.*: Factors affecting the morbidity of contact lens-related microbial keratitis: a population study. *Invest Ophthalmol Vis Sci* 2006; 47;10: 4302-4308.

100. Henriques M, Sousa C, *et al.*: Adhesion of *Pseudomonas aeruginosa* and *Staphylococcus epidermidis* to silicone-hydrogel contact lenses. *Optom Vis Sci* 2005; 82;6: 446-450.
101. Kodjikian L, Casoli-Bergeron E, *et al.*: Bacterial adhesion to conventional hydrogel and new silicone-hydrogel contact lens materials. *Graefes Arch Clin Exp Ophthalmol* 2008; 246;2: 267-273.
102. Beattie TK, Tomlinson A, *et al.*: Enhanced attachment of *Acanthamoeba* to extended-wear silicone hydrogel contact lenses: a new risk factor for infection? *Ophthalmology* 2003; 110;4: 765-771.
103. Beattie TK, Tomlinson A, *et al.*: Surface treatment or material characteristic: the reason for the high level of *Acanthamoeba* attachment to silicone hydrogel contact lenses. *Eye Contact Lens* 2003; 29;1 Suppl: S40-43; discussion S57-49, S192-194.
104. Beattie TK, Tomlinson A, *et al.*: Attachment of *Acanthamoeba* to first- and second-generation silicone hydrogel contact lenses. *Ophthalmology* 2006; 113;1: 117-125.
105. Lim L, Tan DT, *et al.*: Therapeutic use of Bausch & Lomb PureVision contact lenses. *CLAO J* 2001; 27;4: 179-185.
106. Foulks GN, Harvey T, *et al.*: Therapeutic contact lenses: the role of high-Dk lenses. *Ophthalmol Clin North Am* 2003; 16;3: 455-461.
107. Kanpolat A, Ucakhan OO: Therapeutic use of Focus Night & Day contact lenses. *Cornea* 2003; 22;8: 726-734.
108. Montero J, Sparholt J, *et al.*: Retrospective case series of therapeutic applications of lotrafilcon a silicone hydrogel soft contact lenses. *Eye Contact Lens* 2003; 29;2: 72-75.
109. Rubinstein MP: Applications of contact lens devices in the management of corneal disease. *Eye* 2003; 17;8: 872-876.
110. Ambroziak AM, Szaflik JP, *et al.*: Therapeutic use of a silicone hydrogel contact lens in selected clinical cases. *Eye Contact Lens* 2004; 30;1: 63-67.
111. Mely R: Therapeutic and cosmetic indications of lotrafilcon a silicone hydrogel extended-wear lenses. *Ophthalmologica* 2004; 218 Suppl 1 29-38; discussion 45-26.
112. Ozkurt Y, Rodop O, *et al.*: Therapeutic applications of lotrafilcon a silicone hydrogel soft contact lenses. *Eye Contact Lens* 2005; 31;6: 268-269.
113. Bendoriene J, Vogt U: Therapeutic use of silicone hydrogel contact lenses in children. *Eye Contact Lens* 2006; 32;2: 104-108.
114. Engle AT, Laurent JM, *et al.*: Masked comparison of silicone hydrogel lotrafilcon A and etafilcon A extended-wear bandage contact lenses after photorefractive keratectomy. *J Cataract Refract Surg* 2005; 31;4: 681-686.
115. Lim N, Vogt U: Comparison of conventional and silicone hydrogel contact lenses for bullous keratoplasty. *Eye Contact Lens* 2006; 32;5: 250-253.
116. www.aclm.org.uk.

117. Morgan PB: Trends in UK contact lens prescribing 2008. *Optician* 2008; 235;6155: 18 - 19.
118. Morgan PB: Trends in UK contact lens prescribing 2007. *Optician* 2007; 234;6104: 16 - 17.
119. Morgan PB, Efron N: A decade of contact lens prescribing trends in the United Kingdom (1996-2005). *Cont Lens Anterior Eye* 2006; 29;2: 59 - 68.
120. Nash W, Sentell KB, *et al.*: The effect of surface modification on the in vitro contact angle of silicone hydrogel lenses. BCLA Poster 2008.
121. Woods CA, Jones DA, *et al.*: A seven year survey of the contact lens prescribing habits of Canadian optometrists. *Optom Vis Sci* 2007; 84;6: 505-510.
122. Woods CA, Morgan PB: Use of silicone hydrogel contact lenses by Australian optometrists. *Clin Exp Optom* 2004; 87;1: 19-23.
123. Morgan PB, Woods C, *et al.*: International contact lens prescribing in 2007. *Contact Lens Spectrum* 2008; 23;1: 36 - 41.
124. Danion A, Arsenault I, *et al.*: Antibacterial activity of contact lenses bearing surface-immobilized layers of intact liposomes loaded with levofloxacin. *J Pharm Sci* 2007.
125. Willcox MD: New strategies to prevent *Pseudomonas* keratitis. *Eye Contact Lens* 2007; 33;6 Pt 2: 401-403; discussion 410-401.
126. Zhu H, Kumar A, *et al.*: Fimbricide-coated antimicrobial lenses: Their in vitro and in vivo effects. *Optom Vis Sci* 2008; 85;5: 292-300.